




zeta



zeta

Light fixture ZETA is a surface mounted fixture suitable for offices, warehouses, halls and even stairwells.

Zeta has a surface mounted construction so it can be mounted on any hard surfaces like concrete, brick or a drywall. Interesting feature of this fixture is a honeycomb shape diffuser that creates interesting shapes with an unobtrusive, pleasant light. Another option is a pyramid diffuser that creates soft, but interesting light structure. When a very low light intensity is needed, matte diffuser is highly recommended. This allows soft lighting of a whole area. The usual LED color used in this fixture is warm or neutral.



Variants and parameters of the light fixture Zeta

| | | | | | |
|--------------------------|--|-----------------|---|---------------------|-------------------------------|
| type | surface-mounted square light fixture | | | | |
| usage | light for offices, hallways, stairwells, especially for ceilings | | | | |
| basic fixture color | hardened translucent plastic | | | | |
| protection | IP 44 | | | | |
| length/width/height (mm) | 300/300/50 | | | | The best selling model |
| light color | neutral (4000K) | cold (6000K) | warm (3000K) | mix (3000-6000K) | neutral (4000K) |
| diffuser | matte | honeycomb | pyramid | | mate |
| mounting | surface mounted | | | | surface mounted |
| light output/power input | 1500lm/23W, AC 230V | | 4000lm/20W, AC 230V (neutral light color only) | | 1500lm/23W, AC 230V |

Choose one option from each row and **create your own light fixture** to your liking and needs.

Benefits of the light fixture Zeta

- Low consumption of DT LED LIGHTS guarantees:
 - better energy savings, up to 8-10x against light-bulbs and 1.5-2x against fluorescent lights
 - fast return of investment in case of whole light replacement
- Long life thanks to correct cooling. LEDs lasts at least 50,000 hours thanks to original Czech cooling design of LEDs which means non-stop lights for almost six years!
- Fidelity in color reproduction
 - neutral white, Ra > 85,
 - warm white, Ra > 80,
 - cold white, Ra > 80,
 - cold and warm white combination, Ra > 80.
- Flicker free - doesn't cause eyestrain like some fluorescent lights
- Immediate start - DT LED LIGHTS will achieve full brightness in one second. They are very suitable to spaces, where lights are often turn on and off. Due to their properties, there is no reduction of lifespan in these conditions.
- Low temperature resistant - lights can be used in very low temperature conditions, up to -20 °C (-4 °F).